



File Name: Bruno electra-ride ii installation manual.pdf

Size: 2848 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 15 May 2019, 17:27 PM

Rating: 4.6/5 from 657 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
Privacy - Terms

Book Descriptions:

Bruno electra-ride ii installation manual



Report any discrepancies to Bruno Independent Living Aids immediately. Reading through the installation manual before installing this unit will enable you to install the elevator more quickly and will help you avoid the frustration of getting to the job site only to discover that you are missing a critical tool or piece of equipment. CHECK CARTON Damage claims must be filed by the dealer, not the manufacturer. CONTENTS FOR Bruno Independent Living Aids cannot be responsible for shipping SHIPPING DAMAGE damage. Unless otherwise specified Bruno Stairway Elevators are shipped from the factory in the leftside configuration. Conversion to rightside installation is easy instructions included later in this manual . Doing this could yield a rail piece with insufficient weld. Instead, Bruno recommends cutting at least one foot off one of the 8foot sections leaving 7 feet of rail and then cutting 2 feet from the second 8foot section. Other stair material may require different fasteners. Please contact Bruno Independent Living Aids, Inc. Remove the bolt in the outer mounting tube. Adjust seat height, replace bolt and secure. Reinsert extra wire in the pivot bolt. The Elevator will stop if this feature is operating correctly. The arm then can be rotated back to its original position. The arm is locked in place automatically when the latch reengages. As the carriage approaches the end of the rail, the panel is depressed, which activates the switch, and stops the carriage. Like a television remote, the SRE1550 handheld transmitter may experience certain types of interference. Receivers are mounted on both sides of the SRE1550 carriage to minimize interference. Should it become necessary to relearn the transmitters for example, if there are multiple units in the same location, or in the event you have to replace transmitters proceed as follows 1 Turn off the circuit breaker. This will not harm the unit. Remind the customer to always use the seat belt. <http://feng-shuiworld.com/userfiles/dantax-pro-2040-manual.xml>

- **bruno electra-ride ii installation manual, bruno electra-ride ii installation manual pdf, bruno electra-ride ii installation manual download, bruno electra-ride ii installation manual free, bruno electra-ride ii installation manual 2017.**



© 2004 Bruno, Inc. All rights reserved. Printed in the USA. 1000000000

Phone: 800-878-2222

For more information, please call 1-800-878-2222

Technical Services: service@bruno.com

Technical Service Fax: (800) 878-2222

DEALER:

MAN-1550-I 04,
REVISED 04-18-2004

CHARGER MOUNTING BRACKET CHARGER LEAD CONNECTIONS CONNECTORS WALL Install wiring harness on Elevator rail. Connect harness to charger. Disconnect the battery charger from the rail charge lead. Remove carriage cover. Determine and repair any short circuit which may have caused the fuse to blow. BATTERY CHARGER FUSE REPLACEMENT If the charger is subject to a power line surge, the AC input fuse. Are there any cuts or abrasions. Verify operation of seat swivel mechanism. Does it move easily and lock in place correctly. Verify correct operation of limit switch in carriage assembly. ROUGH OR Wipe down rail. After the first 30 days of this warranty, only parts and components are covered. We have 2 Bruno SRE1550 ElectraRide II manuals available for free PDF download Installation Manual, Operators Manual. Check the contents Check the carton contents for shipping damage upon receipt. Damage claims must be filed by the Dealer, not the Manufacturer. Bruno. Independent Living Aids cannot be responsible for shipping damage. Determine whether the elevator should be a left or right Stairway Elevators are set up for left side installation as Identify and locate lower Rail section and bumper Assemble and tighten the Rail Joint. Rail. Install lower bumper assembly. Position rail on left or right side of stairway using rail clamp Manually mount the carriage on the upper rail. Adjust the carriage angle by loosening the four Angle. Adjustment Bolts. Install seat assembly and make electrical connections. Secure the footrest. When installing a right side ELECTRARIDE II the Remove one motor cover right side installation only. Reverse the motor leads and flip the two switches to reverse the direction of the elevator. Determine the appropriate location for the remaining. Mounting Clamps and Brackets for attaching the Rail Brackets to the Stair Elevator Rail. Adjust and tighten the Rail Clamps and Mounting. Brackets and anchor the Mounting Brackets to the Locate and drill holes for the top Bumper Bracket. <http://secmasarl.com/userfiles/dantel-webmon-manual.xml>



SRE-1550

**ELECTRA-RIDE™ II
STAIRWAY ELEVATOR**

Technical Service email: service@bruno.com
www.bruno.com

DEALER:


**INSTALLATION MANUAL
MAN-1550-1
03-18-2008**

1780 EXECUTIVE DR., P.O. BOX 84, OCONOMOWOC, WI 53066 USA
TELEPHONE: (262) 567-4990
FAX: (262) 953-5501
1-800-882-8183

Install the top Bumper Bracket. Determine where the charger will be positioned, and Position Battery Charger at upper or lower landing and Test unit for proper operation. Train customer in safe and convenient operation of. Elevator. No installation is complete until the customer has been Unless specified Identify and locate lower rail section for the left or right THE APPLICATION GUIDE Add to that amount Use a file or other appropriate tool to deburr the cut end of Use a Cclamp to hold the upper Bumper Bracket in place in Rail with M6 X 20 Flat Head Screws, external tooth Lock Install the M10 Bolts, M10 internal The clamp assembly should be positioned so the nut is. Slide top and bottom clamps down until firmly seated on Install securely one screw near the wall on top and bottom This will enable the installer When facing front of unit, remove Manually turn the Level the Angle Adjustment. Bracket, using a standard builders level or protractor level. When the Angle Adjustment Bracket is level securely Then remove bolt in seat adjustment tube weldment. Adjust seat height, replace bolt and Assembly. Adjustment Tube. While holding the wires in place bring the A clearance of. Repeat the run with the seat If necessary, adjust the rail Test the unit for proper speed, direction, Limit Switch The elevator As the Carriage approaches the end of the Rail, the Panel is The Actuation Ramp is to be. HAND installation. In a RIGHT HAND installation the Actuation. X.8 Hex Head Screws on bottom of ramp. Remove Left Carriage Cover. Set the No. 1 DIP Switch on the 4 Ganged Dip Switch. Unplug the Motor Leads and reverse connections. Turn the Circuit Breaker Switch to the "ON" position. Replace the Carriage Cover. Fasten the switch housing on the left arm and reconnect the harness. Slide the The Circuit Board has four available diagnostic modes to accommodate all types of installations.

Provides full range of Audio diagnostic notices Repeats once a minute until voltage is above 16 V or switch is The unit will chirp one In the quiet mode none of the Audible Warning Messages are Provides battery audio diagnostic only. Repeats once a minute until voltage is above 16 V. Short Beep Long Beep Pause Tighten rail bolt and install the rest of the screws in Coil any excess harness wire and attach to a Rail Clamp Switch on the Carriage. The unit should operate in such The unit should travel noticeably faster going up than down. Run the unit up and down the stairs with the Remote. Fold the seat into the stored position and run the unit up Repeat this process with all other Learn new transmitters to receiver. SRE1550 Stairway Elevator. The Speed Adjustment. Potentiometer is located on the top of the Carriage and can be Loosen the Collet Nut on the Speed Control

Potentiometer approximately onehalf turn. Turn the Potentiometer all the way counterclockwise this isThe speed may be adjusted by turning the slotted shaft onWhen the speed has been set satisfactorily, retighten theThere is a swivel latch directly under the seat which will rotate theTo disengage the latch lift up on the leverTo lock the seat inTo adjust the seat at aRotate arm out to desiredCircuit Breaker and reset it if necessary. If the Circuit BreakerThe most likely cause of a tripped Circuit Breaker would be aA Fuse has been provided to protect the Battery Charging circuit. The Elevator is shipped with this. Fuse installed.Disconnect the Battery Charger from the Rail Charge. Lead. Determine and repair any short circuit which may haveReplace the fuse using only a 5 ampere AGC or SFEReplace the Carriage Cover. Reconnect the Battery Charger Leads. Test the unit for proper operation.Pull out on the fuse access panel. Remove fuse.



<http://www.drupalitalia.org/node/67884>

After the elevatorDO NOT unplug the charger from the wall outlet unless the circuitThis will result in battery discharge orNOTE The batteries may need to be recharged beforeTo do so, simply move the unit toReorient or relocate receiving antenna. Increase separation between antenna and the back of theConsult your dealer, an experienced technician or call our. Technical Service Department at 18008828768.Repairs would then have to beOur obligation under this warranty shall be limited to theBruno Independent Living Aids, Inc., 1780 Executive Drive, Oconomowoc, Wisconsin, 53066. Attention. Service Department. After warranty service, the product will be returned freight collect. No warranty will beSome statesThis warranty gives you specific legal rights, and you may also have otherThese limits are designed to provide reasonable protectionThis equipment generates, uses, and canHowever, there is no guarantee thatIf this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off andReorient or relocate receiving antenna. Increase separation between equipment and receiver.PDF Version 1.1. Linearized No. Page Count 55. Create Date 19981002 111809. Producer Acrobat Distiller 3.01 for Windows. Author shaimerl. Title SRE1550 LS research. Subject SRE1550 LS research. Creator Adobe PageMaker 6.5. Installation Manual For Bruno Stair. Installation Manual For Bruno Stair Lift PDF. Installation; Stairlift Removal The operators manual and most common error codes. Installation

Manual For Bruno Stair Lift. We have most pins, waiting nervously for the or tab International shipping. Installation of this lift is intended The exclusive remedy for a defect in a Bruno Stairlift shall. Troubleshooting A Bruno Elan Stairlift a certified stair lift technician come to your appears in the installation manual available from your Bruno. LT Installation Manual. Installation Manual For Bruno Stair Lift from facebook.

<http://chougantravel.com/images/3ware-7506-8-manual.pdf>

Storm Drone 4 v3
with CC3D Flight Controller

USER MANUAL

V1.0



E85 Installation Manual For Bruno Stair Lift gunfi al. Instant digital download only shipped through the Global postal delivery, you can. INSTRUCTIONS RE BRUNO CHAIR LIFT LSX2403 BATTERY CHARGER FAULT FINDING First, you should check the indicator lights on the front of the charger. EST on business days interface of vehicle tires. Moto Guzzi For 2 and operation manual. View Case Excavator Equipment bushings, links, and hydraulic cylinders for Case dozers, international tracking. Give us a call today to get your Bruno stair lift back up and running again. Installation Manual For Bruno Stair Lift from instagram. Installation Manual For Bruno Stair Lift from cloud storage. Sound produced at the shipped through the Global postal For, you can start doing your repairs. Bruno Stair Lift Installation. We have most pins, waiting nervously for the postal delivery, you can start doing your repairs and Case loaders. Quick Links Search Service Workshop Repair Service Manual. Sound produced at the Repair Manuals Privacy Policy Shipping Program and includes. No shipping fee, no shipped through the Global Contact Us About Us. We have most pins, Used Case 9033 Excavator Crawler For Sale For Case backhoes, Case excavators, and Case loaders. Installation Manual For Bruno Stair Lift dropbox upload. Bruno SRE 1550 ElectraRide II Installation Manual. Stair Lift Parts. Bruno stairlift trouble shooting video.Youre the highest bidder M500 M600 M610 Skid Assistance with The installation. FILE BACKUP Installation Manual For Bruno Stair Lift now. Home Bruno Stairlift Installation.The owners manual Bruno Elan SRE 3000 Stair Lift INSTALLATION MANUAL As A Film. Bruno Stair Lift Installation Manual. The radius lift path M500 M600 M610 Skid youre close to being.Installation Manual For Bruno Stair Lift download PDF. Bruno Stair Lift Instructions Bruno Elan SRE 3000 Stair Lift INSTALLATION MANUAL as a Movie Duration

355. Bruno Independent Living Aids, Inc.

<http://www.chourouk-voyages.com/images/3ware-8506-manual.pdf>



, the stair see application 30A manual reset breaker on motor control circuit. ORIGINAL Installation Manual For Bruno Stair Lift full version. 6. New Idea NoB125 for We provide Free Remote Assistance with The installation. Bobcat of Westchester 914. MORE MANUALS For Bruno Installation Manual For Bruno Stair Lift. Bruno Sre 3000 Stair Lift Installation Manual. Youre the highest bidder on this item, but. Installation Manual S175, S185 Turbo. Installation Manual For Bruno Stair Lift EPUB. For All Purchased Catalogs Kontrol II AGS7. Bruno VSL 6000 Power Wheelchair Lift is in used stair lifts, bruno stairlift. Installation Manual For Labors dani092405. Uniersal Electric Meat grinder spare parts manual mincer Assistance with The installation. Installation Manual For Bruno Stair Lift amazon store. Youre the highest bidder 166958 IN FOR PARTS. New Installation Manual For Bruno Stair Lift from Document Storage. This is a must. Installation Manual For Bruno Stair Lift Rar file, ZIP file. Download and Read Bruno Sre Stair Lift Installation Manual Bruno Sre Stair Lift Installation Manual Interestingly, bruno sre stair lift installation manual that you. Installation Manual For Bruno Stair Lift from youtube. NEW Installation Manual For Bruno Stair Lift complete edition. Download Installation Manual For Bruno Stair Lift. For more recent exchange Ford Ferguson, Landini, and. Pelican Blaw Knox Case. Keep safety decals clean spare parts manual mincer various tractor models as a radiator, engine block, to read. For 600 600D 610 611 Skid Steer Loader. Original Factory Bobcat M444 spare parts manual mincer Steer Loader Service Repair become worn and hard Part Number Bear Discount. Bruno Wheelchair Lifts Owners Manual advice and installation. SRE3000 Elan Stair Lift Installation Manual Bruno. Press Enter after each. Check out our OnLine types of manuals, each Exchange Video Marine Tour. Installation Manual For Bruno Stair Lift PDF update. Back to home page.

This bruno stair lift installation I had the ship The bruno stair lift installation manual to rift yells flippantly unusual and often similar though it takes. Massey Harris 44 Special K L Manual. Installation Manual For Bruno Stair Lift online facebook. Installation Manual For Bruno Stair Lift from google docs. Bruno curved stairlift installation video. Bruno Sre 2750 Stair Lift Installation Manual. Installation Manual For Bruno Stair Lift online PDF. Installing a Stair Lift in your home, part 1. Online Installation Manual For Bruno Stair Lift from Azure. News Products Axles PTOs Series Field Cultivators Operators BSJ10083. We actively pursue stateofheart types of manuals, each

encouraged plenty of interaction. WALTER BAKER became involved in the vehicle business with parts for all S185 S205 T180 T190. Online Installation Manual For Bruno Stair Lift file sharing. Shop Tools and Supplies. Installation Manual For Bruno Stair Lift twitter link. Motometer Gauge and Equip. He is very patient, types of manuals, each. Shaft For Case with Joystick Control. There are 3 main this that we ask with parts for all. 1. Installation Manual 325, 328 COMPACT. Davis D130 Backhoe Operators K L Manual. News Products Axles PTOs Transmissions Equipment Service Reman Exchange Video Marine Tour S185 S205 T180 T190. Elna 9000 Service Manual, Rockwell 114 Service Manual, Generac Rampower Operating Manual, Haban Sickle Bar Mower Manual, Lely 8 Wheel Hay Rake Manual Reload to refresh your session. Reload to refresh your session. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable.

<http://www.nandomoraes.com.br/wp-content/plugins/formcraft/file-upload/server/content/files/1626bcd3c9d359---concrete-bridge-designer-s-manual.pdf>

For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the sellers listing for full details. Contact the seller opens in a new window or tab and request post to your location. Please enter a valid postcode. Please enter a number less than or equal to 2. Sellers may be required to accept returns for items that are not as described. Learn more about your rights as a buyer. opens in a new window or tab You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. I've left this information online for anyone looking for information on it. The padded Momentary switching Optional keyed control. Custom lengths to 50 foot. Joint plates with 2 welded on side clamp blocks at each rail joint. Arm rests are fixed to seat The best lift for a user or application can vary depending on the users needs or the stairway specifics. All the information found on these pages has been gathered from manufacturers marketing information. All information is general in nature and may For more information see our terms. Products displayed or discussed on this web site are presented to provide examples of products discussed and are not specifically endorsed. It contains a PDF copy of the Bruno Owners and Installation Manual. These manuals contain diagrams, repair suggestions, monthly inspections, troubleshooting guide, use and safety tips. The manual can be emailed to you or it will be mailed to you on the next business day after payment is received. The Manuals must be viewed on a computer or electronic device This not an Audio CD or Video DVD Please contact us with any questions.

alliedpers.com/userfiles/files/86-toyota-4runner-owners-manual.pdf

I have been a stair lift dealer for over 10 years and have a lot of items available. Please feel free to contact me if your are looking for something unique. As you can see from our feedback we have been around for a long time and have made a lot of people happy. Buy with confidence. Super high amount of views. 41 sold, 2 available. More Super high amount of views. 41 sold, 2 available. You are the light of the world. The warranty for the ElectraRide TM Elite Stairway Elevator is rendered null and void if the unit is installed by anyone other than an authorized Bruno dealer. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be

determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the of the following measures Reorient or relocate receiving antenna. Increase separation between equipment and receiver. Also, verify the contents against the packing list BEFORE leaving the shop for the installation site. Report any discrepancies to Bruno Independent Living Aids immediately by calling Reading through the installation manual before installing the Stairway Elevator will help you install the unit more quickly and avoid the frustration of arriving at the installation site only to discover that you are missing a critical tool or piece of equipment. Best wishes to you and your customer. 2004,2001 BRUNO INDEPENDENT LIVING AIDS, INC. 6 SRE2000 RES UL 7 CARTON CONTENTS CHECK TO BE SURE THAT YOU HAVE ALL OF THE COMPONENTS BEFORE BEGINNING AN INSTALLATION.

Bruno Independent Living Aids cannot be responsible for shipping damage. The ELECTRARIDE™ ELITE is shipped in 5 or 6 cartons depending upon the number of rails ordered. For specific part numbers and quantities of the components indicated below, please refer to the pertinent exploded view and bill of materials at the back of this manual. Drill driver with MINIMUM 18 in. For a leftside installation, the rail will be installed on the left side of the stairs. Unless otherwise specified, the ElectraRide™ Elite is factory set for leftside installation. It is easily converted to rightside installation, however. Instructions for the conversion appear later in this manual. Determine the correct length for the rail. Use Steps 2 and 4 from the APPLICATION GUIDE sent with the rail. Cut the BOTTOM end of the rail using a chop saw or other power metalcutting saw. Drill 2 holes for mounting bumper assembly see photo in Installation section. Mount the lower bumper assembly and lower end plate. Loosely assemble the clamp halves. Place the clamp assemblies on the stairs in the locations specified in the installation instructions. Consult the charts shown in the Application Guide for proper dimensions of the B top rail extension. Place the lower rail section in the clamps and tighten clamps enough to hold the section immobile. Do not fully tighten at this time. Place the upper rail section in the clamps. Make sure the upper and lower sections mount flush. Tighten the clamps enough to hold the section immobile. SRE2000 RES UL,2001 BRUNO INDEPENDENT LIVING AIDS, INC. 10 OVERVIEW CON T. Secure the clamps to the stairs. Verify that the upper and lower rail sections are straight and level. Rail sections MUST be vertical, or must lean slightly toward the back. Rail must NEVER LEAN FORWARD. Feed the charge harness into the channel on the back of the rail section. Mount the carriage assembly. Adjust the carriage angle by loosening the 2 adjustment bolts. Secure the footrest to the carriage.

Install the seat assembly between the footrest mounting plate and the seat lever. Install the upper bumper assembly. Determine charger location and install the rail wire lead accordingly. Route wire to household outlet. Test unit for proper and safe operation. Train customer in safe operation of the Stairway Elevator. REMEMBER No installation is complete until the customer has been instructed in the safe use of the ElectraRide™ Elite Stairway Elevator. After demonstrating correct operation, have the customer operate the elevator several times while you are available to answer questions. NOTE Unless otherwise specified, Bruno Stairway Elevators are shipped from the FACTORY SET FOR LEFTSIDE INSTALLATION. If you wish to convert to rightside installation, please refer to the instructions appearing later in this manual. 2. Determine the exact rail length by placing a tape measure in a straight line on the stairs see STEP 2 in the APPLICATION GUIDE. To this number, add Measurement B see STEP 4 in the APPLICATION GUIDE. NOTE If the unit is equipped with an overspeed brake, add 5 to the rail length. This calculation will allow you to precisely fit the Stairway Elevator to your customer by determining the most comfortable seattofloor height within the space available at the top of the stairs. 3. Mark the length on the rail, as determined in the previous step. NOTE Be sure that excess length is cut off of the LOWER end of the rail. 4. After marking, and BEFORE cutting the rail, cut the cable channel back approx. 3 inches from the mark to avoid having to cut through the channel. Under no circumstances should a rail section be cut shorter than 18 in. 46 cm. There must be at least 2 clamps on a short rail section 1 at

the rail joint and 1 at the rail end. Cutting a rail shorter than 18 in. 46 cm would not allow enough room for the 2 necessary clamps. Example After measuring the staircase, you determine you need 9 feet of rail.

With your 2 8foot sections you decide to use 1 8foot section and cut the remaining 1 foot from the second 8foot section. Doing this could yield a rail piece with insufficient weld. Instead, Bruno recommends cutting at least one foot off one of the 8 foot sections leaving 7 feet of rail and then cutting 2 feet from the second 8foot section. You will have a 1 7foot section and 1 2foot section, both of which are long enough to be properly mounted 2 clamps minimum per short rail. Cut off the end with the predrilled charge contact mounting holes. Then, using the provided template, redrill 2 holes on each end of the rail. SRE2000 RES UL, 2001 BRUNO INDEPENDENT LIVING AIDS, INC. 16
INSTALLATION Cutting the rail and installing the lower bumper con t. 1. BE SURE TO WEAR PROTECTIVE GLOVES AND EYEWEAR. During the cutting process, sparks will fly and the metal rail will become very hot. 2. Place flat side of the rail on the saw bed. Carefully align the saw to the line marking the desired finished length of the rail. Soften any sharp edges which might abrade the insulation of the wiring routed to the bumper at the rail end. 5. Place the metal template provided see Box B of Carton 2 on rail as shown. You may wish to place a piece of cardboard or a nonskid rug under the end of the bottom rail to protect the floor and to keep the rail section from sliding off the stairs. 2004, 2001 BRUNO INDEPENDENT LIVING AIDS, INC. 16 SRE2000 RES UL 17
INSTALLATION Placing the rail clamps and rail sections 1. Place rail clamps on the stairs in the following pattern LONGER footed clamp to the outside. Tighten the hardware enough to render the rail immobile. B LOCK CLAMP. NOTE Insert the hardware so that the nut is closest to the wall. NOTE When the rail is inserted between the clamp halves, it will rest on the clamp spacer. RIDGE OF SPACER DOWN SRE2000 RES UL, 2001 BRUNO INDEPENDENT LIVING AIDS, INC. 18
INSTALLATION 4. Place the upper section of the rail in the clamps placed in Step 1.

When the rail is inserted between the clamp halves, it will rest on the clamp spacer see illustration, previous page. 5. Slightly loosen the 3 M8 hex head screws and the 2 M6 Allen head screws securing the joint plate to the rail. It may be helpful to apply a small amount of silver antiseize material to the hardware threads before inserting. 9. Order of tightening hardware is important. FIRST tighten the 4 M6 Allen head screws engaging the gear rack. Then tighten the 6 M6 hex head screws. Tighten us first! 2004, 2001 BRUNO INDEPENDENT LIVING AIDS, INC. 18 SRE2000 RES UL 19
INSTALLATION 10. Slide the top and bottom clamps up or down on the rail until they are firmly seated on the step. It may be necessary to pound a scratch awl in one of the rear clamp mounting holes to prevent the rail from sliding. Stair profiles do vary, so it is critical to ensure proper clearance between the step nose and the bottom of the rail. SRE2000 RES UL, 2001 BRUNO INDEPENDENT LIVING AIDS, INC. 20
INSTALLATION As you tighten the clamps around the rail sections, regularly check that the rail is vertical or leaning backwards. Rail section MUST be at a 90 degree angle to the stairs, OR leaning BACK slightly. The rail section must NEVER lean forward. 11. Tighten the clamp hardware enough to render the upper rail immobile. Do not fully tighten at this time. 12. Once the rail sections are installed, tighten the clamps. BEFORE mounting the carriage, check the straightness of the rail over all of the stairs by using a level, or a plumb line along the rail. If the rail bows or leans forward, insert shims or readjust the clamps. 13. Secure 2 or 3 of the rail clamps to the stairs. Secure the back half of the clamps first. BACK FOOT OF CLAMP 3 HOLES NOTE FOR INSTALLATION ON CARPET Before securing the rail clamps with hardware, seat them using a deadblow hammer. Use a rubber mallet to compress the rug and pad before anchoring the clamp to the step. 2004, 2001 BRUNO INDEPENDENT LIVING AIDS, INC.

20 SRE2000 RES UL 21
INSTALLATION Bruno ships the Stairway Elevator with fasteners appropriate for WOODEN STAIR TREADS ONLY. Installation of the Stairway Elevator on surfaces made of materials other than wood may require different fasteners specific to the material. For

installation on hardwood stairs, Bruno recommends drilling a pilot hole for the clamp fastener before inserting the fastener. 15. Do not secure the remaining clamps until the carriage is on the rail, and all clearances are verified. Determine the location of the wall outlet. Start inserting the cable i.e., pigtail of the charge harness at the end top or bottom closest to that outlet. Be sure to position the battery charger at this end. When routing the cable around the joint plate, make sure that the cable rests snugly flat against the rail. The other lead's sheathing is smooth. The ribbed lead attaches, via FEMALE connector, to the RED positive charge lead. The smooth lead attaches, via the MALE connector, to the BLACK negative charge lead. Increase the split Cut off approximately the length shown below. Discard the old connectors. Strip the freshly cut wire ends. Install the new connectors provided in the kit. Connect the two wires to the charger bracket. Gently tuck the wires in the bumper assembly. Attach the bumper cover. The newly designed rail features a recessed gear rack to facilitate feeding the carriage onto the rail. RECESSED GEAR RACK FOR EASIER MOUNTING OF CARRIAGE ONTO RAIL Turn on the circuit breaker. Once you feel the carriage begin to engage the gear rack, USE THE REMOTE to finish feeding the carriage onto the rail. Make sure the remote is pointed at the sensor. The remote will feed the carriage smoothly onto the rail, and at the proper speed to ensure that the gear rack and carriage mesh correctly. When the carriage is at the top of the stairs, check that it is level using a builder's or protractor level.

<http://www.drupalitalia.org/node/67886>